

Via Wood Body LED Path Lights

FIXTURE TYPE: _____

PROJECT NAME: _____



Solid wood body and LED housing pathway lights.

FEATURES:

- High power, low wattage LED light source
- Small 3" x 3" footprint
- Concealed anchor base and mounting hardware

SPECIFICATIONS:

CONSTRUCTION: Solid wood pathway light is assembled through glulam construction and precision machined using CNC technology. Adhesive complies with ASTM D-2559 glulam construction specifications for extreme exposed weather conditions, is waterproof and rated for wet or dry use exposure.

Pathlight mounts using an earth spike. Extended base available for protection from lawn maintenance.

ELECTRICAL: LED is 3.1W and powered by a remote 9-15V AC/DC power supply. Fixture is internally pre-wired to the electrical splice location in the fixture base.

OPTICAL SYSTEM: LED module available in 2750K.

FINISHES AND MATERIALS: Wood pieces are finished with a low VOC waterborne matte exterior finish containing UV and mildew inhibitors. All aluminum parts are polyester powder coat painted or anodized.

HARDWARE: Fasteners are stainless steel.





ORDERING GUIDE: EXAMPLE: VIA-3-18-S3-12-LS-STD



VIA		18		12		
1	2	3	4	5	6	7

1	Series
VIA	Via
2	Fixture Type
1	1
2	2
3	3
4	4
5	5
6	6


3	Height
18	18"
4	Wood Finish
S*	See color options on finishes technical sheet
5	Voltage
12	9-15V

6	Mounting
LS	Landscape Spike
YS	Yard Spike
CA	Concrete Anchor
7	Special
STD	Standard
MOD	Modified



Via Wood Body LED Path Lights

FIXTURE TYPE: _____

PROJECT NAME: _____



Via types 1 and 3



Via types 4 and 6

