

# Reverse Tilt 14' Linear LED Pole

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



Shown with Reverse Tilt Bollard.

Double upright aluminum pedestrian pole with 9' cantilevered arm containing linear LED lighting.

## FEATURES:

- Smooth, dot free lumination
- Integral power supply
- Multiple static color options and color changing RGB available

## SPECIFICATIONS:


**CONSTRUCTION:** Rectangular extruded 6061-T6 aluminum alloy tubes fastened to square 6061-T6 base support welded to 319SR aluminum alloy baseplate.

**FINISHES AND MATERIALS:** Metal pole shafts and base casting are polyester powder coat painted.

**ELECTRICAL:** A 5/16" - 18 grounding point is provided on the aluminum baseplate. Wireway access is provided through a NEC complaint handhole with a flush mounted, gasketed cover plate.

**HARDWARE:** All hand hole fasteners and luminaire bracket arm hardware are stainless steel. Anchor bolt kits are ASTM F1554 grade 55 steel with galvanized steel hex nuts and washers.





**ORDERING GUIDE:** EXAMPLE: REV TILT-14-C5-L30HO-UF50-P1/53-120-STD



<b>1</b>	<b>Series</b>	<b>5</b>	<b>Arm Light Source<sup>(2)</sup></b>	<b>9</b>	<b>Voltage</b>
<b>REV TILT</b>	Reverse Tilt	<b>SO</b>	Standard Output (1,130lm)	<b>120</b>	120V
<b>2</b>	<b>Pole Height</b>	<b>MO</b>	Mid Output (2,080lm)	<b>277</b>	277V
<b>14</b>	14'	<b>HO</b>	High Output (3,080lm)	<b>10</b>	<b>Options</b>
<b>3</b>	<b>Pole Finish</b>	<b>6</b>	<b>Upright LED</b>	<b>GFCI</b>	GFCI Box
<b>C*</b>	See color options on finishes technical sheet	<b>UO</b>	No Upright LED	<b>11</b>	<b>Special</b>
<b>CSM</b>	Custom Color	<b>UF</b>	Front Upright LED	<b>STD</b>	Standard
<b>4</b>	<b>Light Color</b>	<b>UB</b>	Back Upright LED	<b>MOD</b>	Modified
<b>L27</b>	2700K	<b>7</b>	<b>Upright Light Source<sup>(3)</sup></b>		
<b>L30</b>	3000K	<b>SO</b>	Standard Output (1,020lm/648lm)		
<b>L35</b>	3500K	<b>MO</b>	Mid Output (1,880lm/1,180lm)		
<b>L40</b>	4000K	<b>HO</b>	High Output (2,790lm/1,760lm)		
<b>AMB</b>	Amber	<b>8</b>	<b>Panel Material</b>		
<b>BLU</b>	Blue	<b>P1/S*</b>	Wood (specify color) <sup>(4)</sup>		
<b>GRN</b>	Green	<b>P2/C*</b>	Aluminum (specify color) <sup>(4)</sup>		
<b>RED</b>	Red	<b>WS</b>	Weathering Steel		
<b>RGB</b>	Color Changing <sup>(1)</sup>				

1. Consult factory for RGB color control options  
 2. Lumen output based upon 3000K CCT. Consult factory for higher output.  
 3. Lumen output based upon 3000K CCT. Output shown as Front Upright LED/Back Upright LED.  
 4. See color options on finishes technical sheet.